

Explosives Storage License

Structure: _____

Type: _____ Location: _____

Mixed Total	When 1.2, 1.3, and/or 1.6 ammunition is stored with HC/D 1.1 ammunition, all ammunition is considered to be HC/D 1.1 ammunition. Therefore, the total explosives weight of all ammunition in the magazine will be considered as HC/D 1.1. The total NEW (NEQ) will not exceed the amount licensed for HC/D 1.1 ammunition. When 1.2 and 1.3 ammunition are stored together, the licensed amount refers to how much of each can be stored without consideration of the other.						
HC/D	Amount of Permitted Explosives		Limiting Target Information		Distance		
	Lbs	Kgs	Target ID	Name	Type	Actual ft (mt)	Required ft (mt)
1.1							
1.2.1							
1.2.2							
1.2.3							
1.3							
1.4	Mission Necessity	Mission Necessity					
1.6							

Notes:

1. This license was prepared IAW Chapter 5, PAM, 385-64, "Ammunition and Explosives Safety Standards", 15 December 1999
2. Any mishap or violation of this license will be reported immediately to the undersigned.
3. Should the site limits exceed the license limits, notify the Safety Office immediately.

Issuing Official: _____

Date: _____

Title: _____ Safety Manager

Reviewed for adequacy and compliance by: _____

Date: _____

Reviewed for adequacy and compliance by: _____

Date: _____

Reviewed for adequacy and compliance by: _____

Date: _____

Reviewed for adequacy and compliance by: _____

Date: _____